

# **Introduction to Visual Basic .NET**

## **Chapter 2 Introduction to Controls, Events**

### **VB.NET Controls**


- Invoking VB.NET
- A Text Box Walkthrough
- A Button Walkthrough
- A Label Walkthrough
- A List Box Walkthrough
- The Name Property
- A Help Walkthrough
- Fonts / Auto Hide

## A Text Box Walkthrough


- Drag Text Box from ToolBox
- Sizing
- Delete
- Properties
  - Text, Color, Font, Size, Location, Visible, Enabled

## A Button Walkthrough

- Add the button
- Change the Text property



## Add an "access key"



## A Label Walkthrough

- Add the Label
- Change the Text property
- Resize the control

## A List Box Walkthrough

- Add the List Box
- Add data
- Resize the control

## The Name Property

- How the programmer refers to a control in code
- Name must begin with a letter
- Must be less than 215 characters long
- May include numbers and the underscore
- Naming convention: use appropriate 3 character naming prefix
  - First three letters identifies the type of control
  - Remaining letters identifies the purpose
  - E.g. a text box to store a social security number would be called **txtSocialSecurity**

## Common Control Name Prefixes

Control	Prefix	Example
button	btn	btnComputeTotal
label	lbl	lblInstructions
list box	lst	lstOutput
text box	txt	txtAddress

## Fonts

- Proportional width fonts take up less space for "I" than for "W" – like Microsoft Sans Serif
- Fixed-width fonts take up the same amount of space for each character – like Courier New
- Fixed-width fonts are good for tables

## **Auto Hide**

- Hides tool windows when not in use
- Vertical push pin icon indicates auto hide is disabled
- Click the push pin to make it horizontal and enable auto hide

## **Viewing the Code**

- The GUI Forms Designer generates textual code
  - Prior to VB programmers wrote everything in textual code
- Click on the “Form1.VB” tab to see the code (not the design tab)

## **An Event Procedure Walkthrough**

- An event is an action, such as:
  - The user clicks on a button
  - A form is minimized
  - The mouse enters or exits a control
  - The form is re-drawn
- Usually, nothing happens until an event occurs

## **The three steps in creating a VB.NET program:**

1. Create the interface; that is, generate, position, and size the objects.
2. Set properties; that is, configure the appearance of the objects.
3. Write the code that executes when events occur.

## Changing Properties

- Properties are changed in code with the following:  
***controlName.property = setting***
- This is an assignment statement
- Examples:


```
txtBox.ForeColor = Color.Red  
txtName.Text = "Hello There"  
txtName.Visible = False  
txtName.Location.X = 100
```

## Adding Code to an Event

- To add code for an event:
  - In the VB Code Window select the control on the left side menu and the event of interest on the right side menu
  - Or double-click the control in the designer to bring up the most common event for that control
- Other methods for opening the Code window:
  - If the Code window is visible, click on it
  - Double-click anywhere on the Form window
  - Select the Code option from the View menu
  - Press the F7 method key anywhere on the design form
  - Select the View Code icon from the Project Window



# Program Region



# Event Procedures

```
Private Sub objectName_event(ByVal sender As
    System.Object, ByVal e As System.EventArgs)
    Handles objectName.event
```

For now you can ignore most of this, aside from knowing the name of the subroutine:


```
Private Sub objectName_event (...) Handles
    objectName.event
```

## Structure of an Event Procedure

```
Private Sub objectName_event (...)  
    Handles objectName.event  
    statements    ' Your code goes here  
End Sub
```

## IntelliSense

Automatically pops up to give the programmer help.



## Code for Walkthrough

```
Private Sub txtFirst_TextChanged(...)
    Handles txtFirst.TextChanged
    txtFirst.ForeColor = Color.Blue
End Sub

Private Sub btnRed_Click(...)
    Handles btnRed.Click
    txtFirst.ForeColor = Color.Red
End Sub

Private Sub txtFirst_Leave(...)
    Handles txtFirst.Leave
    txtFirst.ForeColor = Color.Black
End Sub
```

## Assigning properties in code

- The following won't work:  
**Form1.Text = "Demonstration"**
- The current form is referred to by the keyword *Me*.  
**Me.Text = "Demonstration"**

## The Declaration Statement of an Event Procedure

- A declaration statement for an event procedure:

```
Private Sub btnOne_Click(...) Handles btnOne.Click
```

- The name can be changed at will. For example

```
Private Sub ButtonPushed(...) Handles btnOne.Click
```

- Handling more than one event:

```
Private Sub ButtonPushed(...) Handles btnOne.Click,  
    btnTwo.Click
```

## The MessageBox.Show Method

- The `MessageBox.Show` method is used to display a box with a message for the user
- The message box also contains a title and an icon
- General forms of the `MessageBox.Show` method
  - `MessageBox.Show(text)`
  - `MessageBox.Show(text, caption)`
  - `MessageBox.Show(text, caption, buttons)`
  - `MessageBox.Show(text, caption, buttons, icon)`
  - `MessageBox.Show(text, caption, buttons, icon, defaultbutton)`
- To do: Add a `MessageBox.Show` to the button click event

## Console.WriteLine

- Another handy way to output information is to the Console:
  - Console.WriteLine("Hello there")
    - Outputs the message in double quotes and adds a newline
  - Console.WriteLine("Hello again. ")
    - Outputs the message in double quotes without a newline
- Useful for debugging, don't have to push the OK button and clutter up the screen with message boxes

## Adding Additional Event Procedures

- Comments
  - Explanatory remarks made within a program
  - Indicated by an apostrophe or the keyword Rem
- Statement categories
  - An executable statement causes some specific action to be performed by the compiler or interpreter
  - A nonexecutable statement is a statement that describes some feature of either the program or its data but does not cause the computer to perform any action

## Focus on Program Design and Implementation: Creating a Menu of Forms

- A main menu form can be displayed as an application's opening window to provide the user with a summary of what the application can do
- The main menu form is created as either:
  - A set of buttons
  - A menu bar

## Focus on Program Design and Implementation: Creating a Main Menu (Continued)




Figure 2-55: A Sample Main Menu Screen

## Adding a Second Form

- From the Project menu, select Add New Item, and then Windows Form
  - Default name is “Form2.vb”
- To display a form:

```
Dim varName As New FormName  
varName.Show()
```

  - E.g.:

```
Dim secondForm as New Form2  
secondForm.Show()
```
- To make the current form invisible but retain its variables and components:

```
Me.Hide()
```


 (could display again with Show())
- To destroy a form and unload its variables and components:

```
Me.Close()
```

 (need to create a new one to display again)

## Todo

- Implement program that can quit (End statement) and has a sub-form:



## **Knowing About: The Help Facility**

- Visual Basic's Help Facility can be accessed by selecting either the Contents, Search, or Index options from the Help menu
- The Contents tab displays a Table of Contents for the documentation
- The Index tab provides both a general index of topics and a text box for user entry of a specific topic
- The Search tab provides a means of entering a search word or phrase

## **Knowing About: The Help Facility (Continued)**

- **Dynamic Help**
  - The Dynamic Help window displays a list of help topics that changes as you perform operations
  - To open the Dynamic Help window, click Help on the menu bar and then click Dynamic Help
- **Context-sensitive Help**
  - Context-sensitive Help immediately displays a relevant article for a topic
  - To use this facility, select an object and press F1



## **Common Programming Errors and Problems**

- A common problem is not being able to locate all of the elements needed to create an application
  - Can usually get these windows back from the View menu
- A common error is forgetting to save a project at periodic intervals at design time

## **Summary**

- Event-based programs execute program code depending on what events occur, which depends on what the user does
- GUIs are graphical user interfaces that provide the user with objects that recognize events
- The term “design time” refers to the period of time when a Visual Basic application is being developed under control of Visual Basic
- The term “run time” refers to the period of time when an application is executing

## Summary

- A Visual Basic program consists of a visual part and a language part
- Basic steps for developing a Visual Basic program:
  - Create the GUI
  - Set the properties of each object on the interface
  - Write procedural code
- A form is used during design time to create a graphical user interface for a Visual Basic application
- The most commonly placed objects on a form are buttons, labels, and text boxes