

eXtreme Programming


What's wrong with software today?

- Software development is risky and difficult to manage
- Customers are often dissatisfied with the development process
- Programmers are also dissatisfied

One Alternative: Agile Development Methodologies

- XP = eXtreme Programming
 - It does not encourage blind hacking. It is a systematic methodology.
 - It predates Windows “XP”.
- Developed by Kent Beck
 - XP is “a light-weight methodology for small to medium-sized teams developing software in the face of vague or rapidly changing requirements.”
- Alternative to “heavy-weight” software development models (which tend to avoid change and customers)
 - “Extreme Programming turns the conventional software process sideways. Rather than planning, analyzing, and designing for the far-flung future, XP programmers do all of these activities a little at a time throughout development.”
-- IEEE Computer , October 1999

Traditional Processes are ‘Heavy’



Boehm's Curve

- To accomplish this:
 - We need lots of up front planning, resulting in “heavy” methodologies
 - Every bug caught early saves money, since models are easier to modify than code
 - Large investments are made in up front analysis and design models, because of the cost of late error discovery
 - This leads to a waterfall mentality with BDUF (Big Design Up Front)
- Proponents of XP argue that logic is based on development in the 1970's and 1980's


What's Changed?

- Computing power has increased astronomically
- New tools have dramatically reduced the compile/test cycle
- Used properly, OO languages make software much easier to change
- The cost curve is significantly flattened, i.e. costs don't increase dramatically with time
- Up front modeling becomes a liability – some speculative work will certainly be wrong, especially in a business environment

Why XP Helps

- Extreme Programming is a “light” process that creates and then exploits a flattened cost curve
- XP is people-oriented rather than process oriented, explicitly trying to work with human nature rather than against it
- XP Practices flatten the cost of change curve.

XP Cost of Change Curve



Embrace change

- In traditional software life cycle models, the cost of changing a program rises exponentially over time
- A key assumption of XP is that the cost of changing a program can be hold mostly constant over time
- Hence XP is a lightweight (agile) process:
 - Instead of lots of documentation nailing down what customer wants up front, XP emphasizes plenty of feedback
 - Embrace change: iterate often, design and redesign, code and test frequently, keep the customer involved
 - Deliver software to the customer in short (2 week) iterations
 - Eliminate defects early, thus reducing costs

Why does XP Help?

- “Software development is too hard to spend time on things that don't matter. So, what really matters? Listening, Testing, Coding, and Designing.” - Kent Beck, “father” of Extreme Programming
- Promotes incremental development with minimal up-front design
- Results in a “pay as you go” process, rather than a high up-front investment
- Delivers highest business value first
- Provides the option to cut and run through frequent releases that are thoroughly tested

More on XP

- XP tends to use small teams, thus reducing
- communication costs.
- XP puts Customers and Programmers in one place.
- XP prefers CRC cards to expensive round-trip UML diagramming environments
- XP's practices work together in synergy, to get a team moving as quickly as possible to deliver value the customer wants

Successes in industry

- Chrysler Comprehensive Compensation system
 - After finding significant, initial development problems, Beck and Jeffries restarted this development using XP principles
 - The payroll system pays some 10,000 monthly-paid employees and has 2,000 classes and 30,000 methods, went into production almost on schedule, and is still operational today (Anderson 1998)
- Ford Motor Company VCAPS system
 - Spent four unsuccessful years trying to build the Vehicle Cost and Profit System using traditional waterfall methodology
 - XP developers successfully implemented that system in less than a year using Extreme Programming (Beck 2000).

XP Process

- Planning
 - User stories are written
 - Release planning creates the schedule.
 - Make frequent small releases.
 - The Project Velocity is measured.
 - The project is divided into iterations.
 - Iteration planning starts each iteration.
 - Move people around.
 - A stand-up meeting starts each day.

XP Process

- Designing
 - Simplicity.
 - Choose a system metaphor.
 - Use CRC cards for design sessions.
 - Create spike solutions to reduce risk.
 - No functionality is added early.
 - Refactor whenever and wherever possible.

XP Process

- **Coding**

- The customer is always available.
- Code must be written to agreed standards.
- Code the unit test first.
- All production code is pair programmed.
- Only one pair integrates code at a time.
- Integrate often.
- Use collective code ownership.
- Leave optimization until the end.
- No overtime.

XP Process

- **Testing**

- All code must have unit tests.
- All code must pass all unit tests before it can be released.
- When a bug is found tests are created.
- Acceptance tests are run often and the score is published.

Four Core Values of XP

- Communication
- Simplicity
- Feedback
- Courage

Communication

- What does lack of communication do to projects?
- XP emphasizes value of communication in many of its practices:
 - On-site customer, user stories, pair programming, collective ownership (popular with open source developers), daily standup meetings, etc.
- XP employs a *coach* whose job is noticing when people aren't communicating and reintroduce them

Simplicity

- "Do the simplest thing that could possibly work" (DTSTTCPW) principle
 - Elsewhere known as KISS
- A coach may say DTSTTCPW when he sees an XP developer doing something needlessly complicated
- YAGNI principle ("You ain't gonna need it")
- How do simplicity and communication support each other?

Feedback

- Feedback at different time scales
- Unit tests tell programmers status of the system
- When customers write new *user stories*, programmers estimate time required to deliver changes
- Programmers produce new releases every 2-3 weeks for customers to review
- How does valuing feedback turn the waterfall model upside down?

Courage

- The courage to communicate and accept feedback
- The courage to throw code away (prototypes)
- The courage to refactor the architecture of a system
- Do you have what it takes?



Twelve XP Practices

- | | |
|---------------------------|--------------------------|
| • The Planning Game | • Pair Programming |
| • Small Releases | • Collective Ownership |
| • Metaphor | • Continuous Integration |
| • Simple Design | • 40-Hours a Week |
| • Test-driven development | • On-Site Customer |
| • Refactoring | • Coding Standards |

The Planning Game

- Customer comes up with a list of desired features for the system
 - How is this different from the usual requirements gathering?
- Each feature is written out as a **user story**
 - Describes in broad strokes what the feature requires
 - Typically written in 2-3 sentences on 4x6 story cards
- Developers estimate how much effort each story will take, and how much effort the team can produce in a given time interval (iteration)

User Stories

- Drive the creation of the acceptance tests:
 - Must be one or more tests to verify that a story has been properly implemented
- Different than Requirements:
 - Should only provide enough detail to make a reasonably low risk estimate of how long the story will take to implement.
- Different than Use Cases:
 - Written by the Customer, not the Programmers, using the Customer's terminology
 - More "friendly" than formal Use Cases

User Story Examples

A user wants access to the system, so they find a system administrator, who enters in the user's First Name, Last Name, Middle Initial, E-Mail Address, Username (unique), and Phone Number.

Risk: Low

Cost: 2 points

The user must be able to search for a book.

Risk: High

Cost: (too large!)

The user must be able to search for a book by Title, and display the results as a list.

Risk: Med.

Cost: 1 point

The user must be able to search for a book by Category, and display the results as a list.

Risk: Med.

Cost: 2 points

User Stories

- **Project velocity** = how many days can be committed to a project per week
 - Why is this important to know?
- Given developer estimates and project velocity, the customer prioritizes which stories to implement
 - Why let the customer (rather than developer) set the priorities?
- Later we must develop acceptance tests for each story

Design

- No tedious UML
- Use CRC cards
- Web example:
<http://www.extremeprogramming.org/example/crcsim.html>

Small and simple

- Small releases
 - Start with the smallest useful feature set
 - Release early and often, adding a few features each time
 - Releases can be date driven or user story driven
- Simple design
 - Always use the simplest possible design that gets the job done
 - The requirements will change tomorrow, so only do what's needed to meet today's requirements (remember, YAGNI)

Test-driven development

- **Test first:** before adding a feature, write a test for it!
 - If code has no automated test case, it is assumed it does not work
- When the complete test suite passes 100%, the feature is accepted
- Tests come in two basic flavors...
- **Unit Tests** automate testing of functionality as developers write it
 - Each unit test typically tests only a single class, or a small cluster of classes
 - Unit tests typically use a unit testing framework, such as [JUnit](#) (JUnit)
 - Experiments show that test-driven development reduces debugging time
 - Increases confidence that new features work, and work with everything
 - If a bug is discovered during development, add a test case to make sure it doesn't come back!

Test-Driven Development

- **Acceptance Tests** (or **Functional Tests**) are specified by the customer to test that the overall system is functioning as specified
 - When all the acceptance tests pass, that user story is considered complete
 - Could be a script of user interface actions and expected results
 - Ideally acceptance tests should be automated, either using a unit testing framework, or a separate acceptance testing framework

Pair programming

- Two programmers work together at one machine
- **Driver** enters code, while **navigator** critiques it
- Periodically switch roles
- Research results:
 - Pair programming increases productivity
 - Higher quality code (15% fewer defects) in about half the time (58%)
 - Williams, L., Kessler, R., Cunningham, W., & Jeffries, R. Strengthening the case for pair programming. *IEEE Software*, 17(3), July/August 2000
 - Requires proximity in lab or work environment



Pair programming in CS classes

- Experiment at NC State
 - CS1— programming in Java
 - Two sections, same instructor, same exams
 - 69 in solo programming section, 44 in paired section
 - Pairs assigned in labs
- Results:
 - 68% of paired students got C or better vs. 45% of solo students
 - Paired students performed much 16-18 points better on first 2 projects
 - No difference on third project (perhaps because lower performing solo students had dropped before the third project)
 - Midterm exam: 65.8 vs. 49.5 Final exam: 74.1 vs. 67.2
 - Course and instructor evaluations were higher for paired students
- Similar results at UC Santa Cruz (86 vs. 67 on programs)



More XP practices

- Refactoring
 - Refactor out any duplicate code generated in a coding session
 - You can do this with confidence that you didn't break anything because you have the tests
- Collective code ownership
 - No single person "owns" a module
 - Any developer can work on any part of the code base at any time
- Continuous integration
 - All changes are integrated into the code base at least daily
 - Tests have to run 100% both before and after integration

More practices

- 40-hour work week
 - Programmers go home on time
 - "fresh and eager every morning, and tired and satisfied every night"
 - In crunch mode, up to one week of overtime is allowed
 - More than that and there's something wrong with the process
- On-site customer
 - Development team has continuous access to a real live customer, that is, someone who will actually be using the system
- Coding standards
 - Everyone codes to the same standards
 - Ideally, you shouldn't be able to tell by looking at it who on the team has touched a specific piece of code

13th XP practice: Daily standup meeting

- Goal: Identify items to be accomplished for the day and raise issues
- Everyone attends, including the customer
- Not a discussion forum
- Take discussions offline
- Everyone gets to speak
- 15 minutes




Kindergarten lessons

- Williams, L. and Kessler, R., "All I Really Need to Know about Pair Programming I Learned In Kindergarten," *Communications of the ACM* (May 2000)
 - *Share everything.* (Collective code ownership)
 - *Play fair.* (Pair programming—navigator must not be passive)
 - *Don't hit people.* (Give and receive feedback. Stay on track.)
 - *Clean up your own mess.* (Unit testing.)
 - *Wash your hands before you eat.* (Wash your hands of skepticism: buy-in is crucial to pair programming.)
 - *Flush.* (Test-driven development, refactoring.)
 - *Take a nap every afternoon.* (40-hour week.)
 - *Be aware of wonder.* (Ego-less programming, metaphor.)



Extreme Programming Project




From www.extremeprogramming.com

Spike = small program to explore potential solutions to technical or design questions



Iteration




Zooming in on "Iteration"

XP emphasizes communication

Development

Zoom Out



Discussion?

- Will you incorporate XP practices in your projects?
 - What does this life cycle imply relationship between customer and team, analyst/designers and programmers?
 - Keep customer involved?
 - The planning game—learn how to estimate effort for small tasks?
 - Embrace change? Many iterations and releases?
 - Pair programming? Maintain discipline of switching drivers?
 - Junit tests *before* writing code?
 - Stand up meetings?